

---

# Macular Degeneration

## Types, Causes, Symptoms, and Treatments

---

**Correspondence:** Exon Publications, Brisbane, Australia; Email: books@exonpublications.com

**Cite as:** Macular Degeneration: Types, Causes, Symptoms, and Treatments. Brisbane (AU): Exon Publications; 2025. Published on 02 Mar.

DOI: <https://doi.org/10.36255/macular-degeneration-types-causes-symptoms-treatments>

**Copyright:** Exon Publications

**License:** Creative Commons Attribution-NonCommercial-NoDerivs 4.0 (CC BY-NC-ND 4.0)  
<https://creativecommons.org/licenses/by-nc-nd/4.0/>

---

## Abstract

Macular degeneration is a common eye condition that can lead to significant vision loss, especially among older adults. It primarily affects the macula, which is the part of the eye responsible for sharp central vision. This article provides a comprehensive guide to macular degeneration, covering its causes, symptoms, diagnosis, treatment, and management in a manner accessible to the general public.

**Keywords:** complications of macular degeneration; diagnosis of macular degeneration; how common is macular degeneration; living with macular degeneration; pathophysiology of macular degeneration; prognosis of macular degeneration; risk factors and causes of macular degeneration; symptoms of macular degeneration;

treatment and management of macular degeneration; types of macular degeneration; what is macular degeneration

## Introduction

Vision plays a crucial role in daily life, and any impairment can significantly affect a person's quality of life. Macular degeneration is one of the most common causes of vision loss, especially in older adults. It affects the macula, the central part of the retina, which is essential for tasks such as reading, driving, and recognizing faces. The condition does not cause complete blindness but severely impairs central vision, making everyday tasks challenging. This guide aims to explain macular degeneration in simple terms to help individuals, patients, and their loved ones better understand the condition and the available options for care (1-3)

## What is Macular Degeneration?

Macular degeneration is a medical condition that affects the macula, the central portion of the retina responsible for detailed, sharp vision. The retina is the light-sensitive layer at the back of the eye that sends visual signals to the brain. When the macula deteriorates, central vision becomes blurry or distorted, while peripheral vision remains unaffected. Macular degeneration is typically associated with aging, but it can also occur in younger individuals due to genetic factors.

## How Common is Macular Degeneration?

Macular degeneration is one of the leading causes of vision loss globally. Age-related macular degeneration (AMD) is particularly prevalent among individuals over the age of 50. Studies indicate that millions of people worldwide are

affected by AMD, with the numbers expected to rise as populations continue to age. The condition is more common in Caucasian populations, although individuals of other ethnicities are not immune to its effects.

## Types of Macular Degeneration

Macular degeneration primarily exists in two forms: dry and wet. Dry macular degeneration, also known as non-neovascular or atrophic AMD, is the most common form, accounting for approximately 80 to 90 percent of cases. It occurs when the macula thins over time and accumulates drusen, which are small deposits of cellular debris. This gradual process leads to vision loss. In contrast, wet macular degeneration, or neovascular AMD, is less common but more severe. It results from abnormal blood vessel growth beneath the retina, which can leak blood and fluid, causing rapid and significant vision loss if left untreated.

## Risk Factors and Causes of Macular Degeneration

Several factors can increase the risk of developing macular degeneration. Age is the most significant factor, with individuals over 60 being at higher risk. Genetic predisposition also plays a role, with certain genes such as CFH, ARMS2, C3, and CFB associated with an increased likelihood of developing the condition. Smoking is another major risk factor, as it doubles the risk of AMD by damaging blood vessels in the eyes. Other contributing factors include high blood pressure, obesity, and a diet low in antioxidants and omega-3 fatty acids. Prolonged exposure to ultraviolet light may also contribute to macular degeneration.

## Symptoms of Macular Degeneration

Macular degeneration typically develops gradually and may not cause noticeable symptoms in its early stages. As the condition progresses, individuals may experience blurry or distorted central vision, difficulty recognizing faces, and increased sensitivity to glare. Straight lines may appear wavy or crooked, a phenomenon known as metamorphopsia. In advanced cases, a dark or empty area may appear in the central field of vision, significantly impairing daily activities such as reading, driving, and using electronic devices.

## Pathophysiology of Macular Degeneration

The underlying mechanisms of macular degeneration involve the degeneration of the macula due to various cellular and molecular changes. In dry AMD, drusen deposits accumulate beneath the retina, leading to the thinning and dysfunction of macular cells. Over time, these changes can cause geographic atrophy, a form of advanced dry AMD characterized by the loss of retinal cells. In wet AMD, abnormal blood vessels, stimulated by vascular endothelial growth factor (VEGF), grow beneath the retina. These vessels are fragile and prone to leakage, resulting in damage to the macula and rapid vision loss.

## Diagnosis of Macular Degeneration

Diagnosing macular degeneration involves a comprehensive eye examination conducted by an ophthalmologist or optometrist. The eye care professional may use several tests to assess the condition of the macula. A visual acuity test measures the clarity of vision, while an Amsler grid test helps detect distortions or blind spots in central vision. Optical coherence tomography (OCT)

provides detailed cross-sectional images of the retina, allowing the detection of retinal thinning or fluid accumulation. In cases where wet AMD is suspected, fluorescein angiography may be performed to identify abnormal blood vessels.

## Complications of Macular Degeneration

Macular degeneration can significantly impact daily life and lead to several complications. Vision loss can make tasks such as reading, driving, and recognizing faces difficult. It can also contribute to psychological distress, including depression and anxiety, as individuals struggle to adapt to vision changes. In advanced stages, macular degeneration may lead to visual hallucinations, a condition known as Charles Bonnet syndrome. Additionally, individuals with wet AMD face the risk of sudden, severe vision loss if abnormal blood vessels leak or rupture.

## Treatment and Management of Macular Degeneration

While there is no cure for macular degeneration, several treatment options can slow its progression and help preserve vision. For individuals with dry AMD, lifestyle modifications such as a healthy diet rich in antioxidants, omega-3 fatty acids, and carotenoids like lutein and zeaxanthin can support retinal health. The Age-Related Eye Disease Study (AREDS) has shown that certain vitamin and mineral supplements can reduce the risk of progression to advanced AMD.

For wet AMD, anti-VEGF medications are the primary treatment. These drugs, such as ranibizumab (Lucentis), aflibercept (Eylea), and brolucizumab (Beovu), are

administered through injections into the eye to inhibit abnormal blood vessel growth. Photodynamic therapy and laser treatments may also be used in certain cases to seal leaking vessels. Early diagnosis and prompt treatment are critical in preserving vision and minimizing damage.

## Prognosis of Macular Degeneration

The prognosis of macular degeneration varies depending on the type and stage of the condition. Dry AMD typically progresses slowly, and many individuals retain functional vision for many years. However, in some cases, it can advance to geographic atrophy, resulting in significant vision loss. Wet AMD progresses more rapidly but can often be stabilized with timely treatment. Early detection and adherence to treatment recommendations are essential in improving outcomes and maintaining visual function.

## Living with Macular Degeneration

Living with macular degeneration requires adjustments to daily routines and lifestyle habits. Magnifying devices, specialized lighting, and electronic aids can help individuals manage vision loss. Regular eye examinations are crucial for monitoring disease progression and adjusting treatment as needed. Emotional support from family, friends, and support groups can also help individuals cope with the psychological impact of vision loss. Maintaining a healthy diet, avoiding smoking, and protecting the eyes from excessive sunlight can further support eye health.

## Conclusion

Macular degeneration is a prevalent eye condition that primarily affects older adults, leading to significant vision impairment. Although there is no cure, early diagnosis, appropriate treatment, and lifestyle modifications can help slow disease progression and maintain quality of life.

Understanding the risk factors, symptoms, and available treatments empowers individuals and their loved ones to take proactive steps in managing the condition.

## References

1. Ferris FL, et al. "Age-Related Macular Degeneration: Update on Diagnosis and Treatment." *Ophthalmology*. 2017;124(11):1756-1766.
2. Chew EY, et al. "The Age-Related Eye Disease Study 2 (AREDS2): Results and Implications." *JAMA Ophthalmol*. 2013;131(7):815-825.  
<https://doi.org/10.1001/jamaophthalmol.2013.4412>
3. Ambati J, Fowler BJ. "Mechanisms of Age-Related Macular Degeneration." *Neuron*. 2012;75(1):26-39.  
<https://doi.org/10.1016/j.neuron.2012.06.018>

## Notice to the User

This article is part of the '[Public Education Series](#)' initiative by Exon Publications. It was written by professional medical writers for the general public in plain language, based on peer-reviewed articles indexed in PubMed, and further reviewed for scientific accuracy by experts. The views and opinions expressed in this article are believed to be accurate at the time of publication. However, the publisher, editors, and authors cannot be held responsible or liable for any errors, omissions, or consequences arising from the use of the information provided. The publisher makes no warranties, explicit or implicit, regarding the contents of this article or its use. The information in this article is intended solely for informational purposes and should not be considered medical advice.